





## **CROWNS OR VENEERS**

We hope you're doing well after your crown or veneer appointment. The tooth you had crowned is now considered a restored tooth. This means its integrity is different than a natural tooth; therefore, it is up to you to maintain it by being mindful of proper care for the crown.

- Care for your new crown with proper brushing and flossing. It is especially important to keep the edges of the crown clean at the gum line.
- Your anesthesia will wear off in approximately 1 to 3 hours after the procedure. It is very important not to chew on the numb side (to prevent biting tongue, lip, etc.) until the anesthesia wears off. Once the anesthesia has worn off and you feel as though any of your teeth are disrupting your normal bite, please give the office a call immediately. This imbalance with your bite may cause further discomfort and should be adjusted.
- Chew on the area of the new crown gently for the first few days, as to not disturb any surrounding tissue that may be irritated from the treatment. Over the crown's lifetime, be mindful of chewing anything that may be too hard (nuts, ice, hard bread, etc.) or too sticky (candy, caramel, taffy, etc.).
- You may experience some discomfort due to irritation of the area during the treatment procedures. You may also experience sensitivity to cold or pressure. This is completely normal. The possible symptoms of hot, cold or pressure will cease within a few days but could last a couple of weeks. There usually isn't a need for concern, unless the symptoms worsen.
- We recommend taking ibuprofen (Motrin). This is not for pain. Ibuprofen will help reduce the inflammation in the area worked on, and will further eliminate hot, cold and pressure sensitivity if taken as directed. If you are allergic to or cannot tolerate ibuprofen (Motrin, Advil, etc.) please advise us. Do not use ibuprofen for more than one week.

Please call or text us at (707) 963-4611 if you have any questions.